

Information relevant to the IUCLID demo on the biocidal product families

Overview of the family composition

Family

Active substance	≥5 - ≤20 % w/w
Solvent	≥75 - ≤93 % w/w
Dye 1	≥0 - ≤5 % w/w
Dye 2	≥0 - ≤5 % w/w

Meta 1

Active substance	≥5 - ≤10 % w/w
Solvent	≥85 - 93 % w/w
Dye 1	≥2 - ≤5 % w/w

- Product 1 (belonging to Meta 1)

Active substance	5 % w/w
Solvent	90 % w/w
Dye 1	5 % w/w

- Product 2 (belonging to Meta 1)

Active substance	8 % w/w
Solvent	90 % w/w
Dye 1	2 % w/w

Meta 2

Active substance	≥8 - ≤20 % w/w
Solvent	≥75 - ≤92 % w/w
Dye 2	≥3 - ≤5 % w/w

- Product 1 (belonging to Meta 2)

Active substance	8 % w/w
Solvent	87 % w/w
Dye 2	5 % w/w

- Product 2 (belonging to Meta 2)


Active substance	20 % w/w
Solvent	77 % w/w
Dye 2	3 % w/w

Family composition built in the web user interface


▼ 2.3 Biocidal product composition *

	BSD Family Last Modified:16/10/2018 10:42
	Meta 1 Last Modified:16/10/2018 10:49
	Meta 2 Last Modified:16/10/2018 10:51
	Meta 1 Product 1 Last Modified:16/10/2018 10:13
	Meta 1 Product 2 Last Modified:16/10/2018 10:23
	Meta 2 Product 1 Last Modified:16/10/2018 10:34
	Meta 2 Product 2 Last Modified:16/10/2018 10:36

Family composition built in the classic interface



Schema of connections between documents in IUCLID dataset/dossier created for a biocidal product family



Endpoint study records (in sections 3-6, and 8-10) can be linked to any of the documents visible on the schema, to other endpoint study records and to endpoint study summaries, via the Cross-reference field