


An Introduction to Creating Customised Reports



Legal Notice

The information in this document does not constitute legal advice. Usage of the information remains under the sole responsibility of the user. The European Chemicals Agency does not accept any liability with regard to the use that may be made of the information contained in this document.

Title: An Introduction to Creating Customised Reports

Issue date: October 2016

Language: en

IUCLID 6 is developed by the European Chemicals Agency in association with the OECD.

© European Chemicals Agency, 2016

Reproduction is authorised provided the source is fully acknowledged in the form

“Source: European Chemicals Agency, <http://echa.europa.eu/>”, and provided written notification is given to the ECHA Communication Unit (publications@echa.europa.eu).

If you have questions or comments in relation to this document, please send them to ECHA via the information request form at the address below, quoting the reference and issue date given above:

<https://echa.europa.eu/contact/helpdesk-contact-form>

European Chemicals Agency

Mailing address: P.O. Box 400, FI-00121 Helsinki, Finland

Visiting address: Annankatu 18, Helsinki, Finland

Changes to this document

Date	Modification
27/10/2016	First version

Contents

Changes to this document	3
Table of Figures.....	4
1. Creating your own customised reports	5
2. Generating an XML with Freemarker.....	5
3. Generating an RTF or PDF with Freemarker and Docbook.....	5
4. Referencing IUCLID fields in templates	6
5. Modifying existing templates.....	7
5.1. CSR templates	7
5.2. Function (example).....	8
5.3. macros_common.ftl	8
5.4. macros_csr.ftl	8
5.5. 00_csr_main.ftl	9

Table of Figures

Figure 1: Field identifier information	6
--	---

1. Creating your own customised reports

The IUCLID 6 Report Generator allows the possibility to customise your own report template and use this with the Report Generator to extract data from IUCLID's datasets and dossiers and then output this information in different formats.

The Report Generator allows you to create three different outputs:

- RTF (From Substances)
- PDF (From Substances)
- XML (From Substances and Mixture/Products)

2. Generating an XML with Freemarker

The [SPC report template](#) is an example of a Freemarker template which can be used with IUCLID's Report Generator to extract data from a IUCLID dataset or dossier to generate an XML file that can be imported into the SPC Editor.

The SPC report template can be taken as an example of how to create a customised Freemarker template which is processed by the Report Generator to output an XML file for use with other systems.

On the IUCLID 6 web site, you will find a generic example of a Freemarker template for outputting an XML file, as well as an example IUCLID 6 dataset to use with.

For additional support in generating an XML with Freemarker, please visit <http://freemarker.org/>.

3. Generating an RTF or PDF with Freemarker and Docbook

The other two outputs of the Report Generator also use Freemarker syntax combined with DocBook to extract data from a IUCLID dataset or dossier, and convert this extracted data into an RTF or PDF through an XSL-FO Converter.

DocBook markup allows you to structure the output of your information into headers and tables for example (as you can see when generating a Chemical Safety Report from IUCLID 6).

On the IUCLID 6 web site, you will find a generic example of a DocBook template for outputting an RTF or PDF file, as well as an example IUCLID 6 file to use with.



For additional support in generating an RTF or PDF with Freemarker and Docbook, visit <http://freemarker.org/> and <http://docbook.org/>.

4. Referencing IUCLID fields in templates

Information from IUCLID 6 is retrieved in the report templates using the IUCLID field identifier, which is a unique path for every field in IUCLID 6.

You can find the field identifier by clicking in a IUCLID field and pressing F12 on your keyboard. This will show you the full path from the IUCLID document to the field level, see the screenshot example below.

Figure 1: Field identifier information



To take the example above, for the field 'Radiolabelling' in section 7.1.1 the identifier is:

`BasicToxicokinetics.MaterialsAndMethods.TestMaterials.Radiolabelling`

To break this down:

- `ENDPOINT_STUDY_RECORD` (this is the type of IUCLID document)
- `BasicToxicokinetics` (this is the identifier of the document)
- `MaterialsAndMethods` (this is the first level header in the document)
- `TestMaterials` (this is the second level header in the document)
- `Radiolabelling` (this is the identifier for the field itself)

Please note that you will not be able to find the field identifier for the beginning of a repeatable set or repeatable list (a table) in IUCLID using F12, such as the Doses / Concentrations repeatable list in section 7.8.1 (Toxicity to reproduction).

To assist you in finding the correct field identifiers, you can find, on the IUCLID 6 web site, an Excel file containing all IUCLID 6 field identifiers:

https://iuclid6.echa.europa.eu/documents/21812392/22307014/IUCLID6_1_2016-04-20_10-07-37.xlsx

5. Modifying existing templates

5.1. CSR templates

You will find in the archive folder for the Chemical Safety Report (CSR), on the IUCLID 6 web site, the following Freemarker templates:

- `00_csr_main.ftl`
- `01_csr_identity_of_the_substance_and_phys_chem_properties.ftl`
- `02_csr_manufacture_and_use.ftl`
- `03_csr_classification_and_labelling.ftl`
- `04_csr_environmental_fate_properties.ftl`
- `05_csr_human_health_hazard_assessment.ftl`
- `06_csr_human_health_hazard_assessment_of_physicochemical_properties.ftl`
- `07_csr_environmental_hazard_assessment.ftl`
- `08_csr_pbt_and_vpvb_assessment.ftl`
- `Annex1_csr_references.ftl`
- `Annex2_csr_information_on_test_material.ftl`
- `macros_common.ftl`

<https://iuclid6.echa.europa.eu>

- `macros_csr.ftl`

Templates 01 to 08 refer to the different chapters of the CSR (e.g. 01 is Chapter 1, 02 is Chapter 2, etc.). Each chapter corresponds to the IUCLID documents relevant to that chapter. For example, if you wish to modify the reported information on the endpoint `Acute Toxicity: oral`, you will find this information in the chapter 5 template on human health named: `05_csr_human_health_hazard_assessment.ftl`.

To generate a report using a customised CSR template with the Report Generator, you will first need to extract and save from the archive folder all the above files locally on your computer. You can then modify the files using, for example, the application: [Notepad ++](#).

Inside each chapter, you will find specific macros and functions for that chapter. The macros contain paths to IUCLID fields that are repeated in the chapter. The functions define conditions for a specific document (or several documents) and the related fields and what IUCLID data are to be retrieved and outputted from these fields.

5.2. Function (example)

As an example of how a function works, `<#function getSortedToxicityToReproInHumans studyList>` is found in the chapter 5 template. Here, the function creates a condition so that the field paths (call these `FieldsA`) for `EndpointRecordA` are only printed if a certain picklist value has been selected in `EndpointRecordB`, and then, if that value is found, `FieldsA` are sorted by the picklist value selected in another field, `FieldB`, which is found in `EndpointRecordA`.

The other files in the CSR report template list above are explained in the following sections.

5.3. macros_common.ftl

This file contains macros which are common to any report template you create. You can call into the main template a macro from this file so as to retrieve the different field datatypes found in IUCLID, such as decimal ranges, rich-text fields etc., and to retrieve information from fields which contain specific values inside picklists.

For example, when retrieving the information from the field below, which has the datatype open list:

```
ENDPOINT_STUDY_RECORD.RespiratorySensitisation.MaterialsAndMethods.TestAnimals.Species
```

The `picklist` macro from the `macros_common.ftl` is used inside the relevant CSR Chapter:

```
<@com.picklist study.MaterialsAndMethods.TestAnimals.Species/>
```

5.4. macros_csr.ftl

This macro contains references to particular parts of the CSR that are commonly repeated, such as Test Material Information or macros to print certain values in the Endpoint Summaries.

These macros may be useful for creating other templates, but most are specific to the generation of a CSR.

5.5. 00_csr_main.ftl

This file organises the structure of the CSR and contains various macros and functions to structure the chapters information into the three basic types of information: study results, data waiving, and testing proposals.